

## § 301.38-2

**Limited permit.** A document issued by an inspector to allow the interstate movement into or through a protected area of regulated articles not eligible for certification under this subpart to a specified destination outside the protected area.

**Moved (movement, move).** Shipped, offered to a common carrier for shipment, received for transportation or transported by a common carrier, or carried, transported, moved, or allowed to be moved. "Movement" and "move" shall be construed in accordance with this definition.

**Person.** Any association, company, corporation, firm, individual, joint stock company, partnership, society, or any other legal entity.

**Protected area.** Those States or counties designated in § 301.38-3(d) of this subpart.

**Rust-resistant plants.** All plants of the genera *Berberis*, *Mahoberberis*, and *Mahonia*, and their progeny, that have proven resistant to black stem rust during testing by the United States Department of Agriculture,<sup>2</sup> and that are listed as rust-resistant under § 301.38-2 (a)(1) and (a)(2).

**Rust-susceptible plants.** All plants of the genera *Berberis*, *Mahoberberis*, and *Mahonia* not listed as rust-resistant under § 301.38-2 (a)(1) and (a)(2).

**Regulated article.** Any article listed in § 301.38-2 (a)(1) through (a)(3) of this subpart or otherwise designated as a regulated article in accordance with § 301.38-2(a)(4) of this subpart.

**Seedling.** Any plant of the genera *Berberis*, *Mahoberberis*, and *Mahonia*

<sup>2</sup>Testing is performed by the Agricultural Research Service of USDA as follows: In a greenhouse, the suspect plant, or test subject, is placed under a screen with a control plant, i.e., a known rust-susceptible variety of *Berberis*, *Mahoberberis*, or *Mahonia*. Infected wheat stems, a primary host of black stem rust, are placed on top of the screen. The plants are moistened and maintained in 100% humidity, causing the spores to swell and fall on the plants lying under the screen. The plants are then observed for 7 days at 20–80% relative humidity. This test procedure is repeated 12 times. If in all 12 tests, the rust-susceptible plant shows signs of infection after 7 days and the test plants do not, USDA will declare the test plant variety rust-resistant. The tests must be performed on new growth, just as the leaves are unfolding.

## 7 CFR Ch. III (1-1-09 Edition)

grown from seed and having less than 2 years' growth.

**State.** The District of Columbia, Puerto Rico, the Northern Mariana Islands, or any State, territory or possession of the United States.

**Two years' growth.** The growth of a plant during all growing seasons of 2 successive calendar years.

[54 FR 32791, Aug. 10, 1989; 54 FR 38494, Sept. 18, 1989; 67 FR 8178, Feb. 22, 2002; 71 FR 5778, Feb. 3, 2006]

### § 301.38-2 Regulated articles.

(a) The following are regulated articles:<sup>3</sup>

(1) All plants, seeds, fruits, and other plant parts capable of propagation from the following rust-resistant *Berberis* species and varieties.

- B. aggregata* × *B. wilsoniae* 'Pirate King'
- B. 'Amstelveen'*
- B. aridocalida*
- B. beaniana*
- B. buxifolia*
- B. buxifolia nana*
- B. calliantha*
- B. candidula*
- B. candidula* 'Amstelveen'
- B. candidula* × *B. verruculosa* 'Amstelveen'
- B. cavallieri*
- B. chenaulti*
- B. chenaulti* 'Apricot Queen'
- B. circumserata*
- B. concinna*
- B. coxii*
- B. darwini*
- B. dasystachya*
- B. dubia*
- B. feddeana*
- B. formosana*
- B. franchetiana*
- B. gagnepainii*
- B. gagnepaini* 'Chenault'
- B. gilgiana*
- B. gladwynensis*
- B. gladwynensis* 'William Penn'
- B. gyalaica*
- B. heterophylla*
- B. horvathi*
- B. hybrido-gagnepaini*
- B. insignis*

<sup>3</sup>Permit and other requirements for the interstate movement of black stem rust organisms are contained in part 330 of this chapter.

- B. integerrima* 'Wallich's Purple'  
*B. julianae*  
*B. julianae* 'Nana'  
*B. julianae* 'Spring Glory'  
*B. koreana*  
*B. koreana*×*B. thunbergii* hybrid  
*Bailsel*  
*B. koreana*×*B. thunbergii* hybrid *Tara*  
*B. lempriiana*  
*B. lepidifolia*  
*B. linearifolia*  
*B. linearifolia* var. 'Orange King'  
*B. lologensis*  
*B. lologensis* 'Mystery Fire'  
*B. manipurana*  
*B. media* 'Park Jewel'  
*B. media* 'Red Jewel'  
*B. mentorensis*  
*B. pallens*  
*B. poirettii* 'BJG 073', 'MTA'  
*B. potanini*  
*B. Renton*  
*B. replicata*  
*B. sanguinea*  
*B. sargentiana*  
*B. sikkimensis*  
*B. soulieana* 'Claret Cascade'  
*B. stenophylla*  
*B. stenophylla diversifolia*  
*B. stenophylla gracilis*  
*B. stenophylla irwini*  
*B. stenophylla nana compacta*  
*B. taliensis*  
*B. telomaica artisepala*  
*B. thunbergii*  
*B. thunbergii* 'Admiration'  
*B. thunbergii* 'Antares'  
*B. thunbergii argenteo marginata*  
*B. thunbergii atropurpurea*  
*B. thunbergii atropurpurea erecta*  
*B. thunbergii atropurpurea erecta* *Marshalli*  
*B. thunbergii atropurpurea* 'Golden Ring'  
*B. thunbergii atropurpurea* 'Intermedia'  
*B. thunbergii atropurpurea* 'Knight Burgundy'  
*B. thunbergii atropurpurea* 'Moretti Select'  
*B. thunbergii atropurpurea* *nana*  
*B. thunbergii atropurpurea* 'Redbird'  
*B. thunbergii atropurpurea* 'Rose Glow'  
*B. thunbergii aurea*  
*B. thunbergii* 'Aurea Nana'  
*B. thunbergii* 'Bagatelle'  
*B. thunbergii* 'Bailgreen' (Jade Carousel™)  
*B. thunbergii* 'Bailone'  
*B. thunbergii* 'Bailone' (Ruby Carousel®)  
*B. thunbergii* 'Bailtwo'  
*B. thunbergii* 'Bailtwo' (Burgundy Carousel®)  
*B. thunbergii* 'Bonanza Gold'  
*B. thunbergii* 'Concorde'  
*B. thunbergii* 'Crimson Ruby'  
*B. thunbergii* 'Crimson Pygmy'  
*B. thunbergii* 'Criruzam' Crimson Ruby™  
*B. thunbergii* 'Dwarf Jewell'  
*B. thunbergii* *erecta*  
*B. thunbergii* 'Fireball'  
*B. thunbergii* 'globe'  
*B. thunbergii* 'golden'  
*B. thunbergii* 'Golden Carpet'  
*B. thunbergii* 'Golden Devine'  
*B. thunbergii* 'Golden Pygmy'  
*B. thunbergii* 'Golden Rocket'  
*B. thunbergii* 'Golden Ruby'  
*B. thunbergii* 'Green Carpet'  
*B. thunbergii* 'Harlequin'  
*B. thunbergii* 'Helmond Pillar'  
*B. thunbergii* 'Kobold'  
*B. thunbergii* 'Lime Glow'  
*B. thunbergii* 'Lustre Green'  
*B. thunbergii* 'Maria'  
*B. thunbergii maximowiczi*  
*B. thunbergii* 'Midruzam' Midnight Ruby™  
*B. thunbergii* *minor*  
*B. thunbergii* 'Monlers'  
*B. thunbergii* 'Monomb'  
*B. thunbergii* 'Monry'  
*B. thunbergii* 'Orange Rocket'  
*B. thunbergii* 'Painter's Palette'  
*B. thunbergii* 'Pink Queen'  
*B. thunbergii* *pluriflora*  
*B. thunbergii* 'Pow Wow'  
*B. thunbergii* 'Red Carpet'  
*B. thunbergii* 'Red Rocket'  
*B. thunbergii* 'Rosy Rocket'  
*B. thunbergii* 'Royal Burgundy'  
*B. thunbergii* 'Royal Cloak'  
*B. thunbergii* 'Sparkle'  
*B. thunbergii* 'Sparkler'  
*B. thunbergii* 'Talago'  
*B. thunbergii* 'Thornless'  
*B. thunbergii* 'Tiny Gold'  
*B. thunbergii* 'Upright Jewell'  
*B. thunbergii* *variegata*  
*B. thunbergii* *xanthocarpa*  
*B. thunbergii* 'Bailsel' (Golden Carousel®)  
*B. thunbergii* 'Tara' (Emerald Carousel®)  
*B. triacanthophora*

**§ 301.38-3**

- B. triculosa*  
*B. verruculosa*  
*B. virgatorum*  
*B. workingensis*  
*B. xanthoxylon*  
*B.×carminea* 'Pirate King'  
*B.×frikartii* 'Amstelveen'  
(2) All plants, seedlings, seeds, fruits, and other plant parts capable of propagation from the following rust-resistant *Mahoberberis* and *Mahonia* species and varieties, except *Mahonia* cuttings for decorative purposes:  
(i) Genus *Mahoberberis*:  
*M. aqui-candidula*  
*M. aquifolium* 'Smaragd'  
*M. aqui-sargentiae*  
*M. miethkeana*  
*M.×'Magic'*  
(ii) Genus *Mahonia*:  
*M. amplexans*  
*M. aquifolium*  
*M. aquifolium atropurpurea*  
*M. aquifolium compacta*  
*M. aquifolium compacta* 'John Muir'  
*M. aquifolium* 'Donewell'  
*M. aquifolium* 'Kings Ransom'  
*M. aquifolium* 'Orangee Flame'  
*M. aquifolium* 'Undulata'  
*M. aquifolium* 'Winter Sun'  
*M. 'Arthur Menzies'*  
*M. bealei*  
*M. dictyota*  
*M. fortunei*  
*M. 'Golden Abundance'*  
*M. japonica*  
*M. japonica*×*M. lomariifolia* 'Charity'  
*M. lomariifolia*  
*M. nervosa*  
*M. pinnata*  
*M. pinnata* 'Ken Hartman'  
*M. piperiana*  
*M. pumila*  
*M. repens*  
*M.×media* 'Charity'  
*M.×media* 'Winter Sun'  
(3) All plants, seeds, fruits, and other plant parts capable of propagation from rust-susceptible species and varieties of the genera *Berberis*, *Mahoberberis*, and *Mahonia*, except *Mahonia* cuttings for decorative purposes.  
(4) Any other product or article not listed in paragraphs (a)(1) through (a)(3) of this section that an inspector determines presents a risk of spread of black stem rust. The inspector must notify the person in possession of the

**7 CFR Ch. III (1-1-09 Edition)**

product or article that it is subject to the provisions of this subpart.

(b) A person may request that an additional rust-resistant variety be added to paragraph (a)(1) or (a)(2) of this section. The person requesting that a rust-resistant variety be added to paragraph (a)(1) or (a)(2) of this section must provide APHIS with a description of the variety, including a written description and color pictures that can be used by an inspector to clearly identify the variety and distinguish it from other varieties.

(Approved by the Office of Management and Budget under control number 0579-0186)

[67 FR 8179, Feb. 22, 2002, as amended at 71 FR 5778, Feb. 3, 2006; 72 FR 32167, June 12, 2007; 72 FR 72233, Dec. 20, 2007]

**§ 301.38-3 Protected areas.**

(a) The Administrator may designate as a protected area in paragraph (d) of this section any State that has eradicated rust-susceptible plants of the genera *Berberis*, *Mahoberberis*, and *Mahonia* under the cooperative Federal-State eradication program. In addition, the State must employ personnel with responsibility for the issuance and withdrawal of certificates in accordance with § 301.38-5, and maintain and enforce an inspection program under which every plant nursery within the State is inspected at least once each year to ensure that they are free of rust-susceptible plants. During the requisite nursery inspections, all nursery stock shall be examined to determine that it consists only of rust-resistant varieties of the genera *Berberis*, *Mahoberberis*, and *Mahonia*, and that the plants are true to type. Plants that do not meet this criteria must be destroyed.

(b) The Administrator may designate as a protected area any county within a State, rather than the entire State, if areas within the State have eradicated rust-susceptible plants of the genera *Berberis*, *Mahoberberis*, and *Mahonia* under the cooperative Federal-State program, and:

(1) The State employs personnel with responsibility for the issuance and withdrawal of certificates in accordance with § 301.38-5;